




MW16 ThermoWood® Outdoor Sauna





Read this instruction before assembly













SECTION B-B SCALE 1:30










Recommended Tool List:





Part List (1/6):

ITEA A				
ITEM NO.	QTY.	DESCRIPTION	COMPONENT REFERENCE (mm)	REFERENCE (in)
1	1	Inside Top	550	0.9 x 5.1 x 21.65
2	1	Top Corner Right	693	0.9 x 11.8 x 27.3
3	1	Top Corner Left	693	0.9 x 11.8 x 27.3
4	2	Inside Left	70	0.9 x 2.75 x 55.9
5	2	Inside Doorway	70	0.9 x 2.75 x 65
6	1	Inside Bottom Left Corner	616	0.9 x 10.6 x 24.25
7	1	Inside Bottom Left Corner	616	0.9 x 10.6 x 24.25
8	1	Inside Bottom Middle Part	650	0.9 x 7.75 x 25.6
9	2	Tempered Glass Window	555	21.85 x 69.7



Part List (2/6):

ITEM NO.	QTY.	DESCRIPTION	COMPONENT REFERENCE (mm)	REFERENCE (in)
10	1	Front Top	410	0.9 x 5.11 x 16.1
11	2	Front Top Corner	555	0.9 x 21.65 x 21.85
12	2	Front Middle	1928	0.9 x 11.6 x 75.9
13	2	Front Bottom Curve	555	0.9 x 21.14 x 21.85
14	1	Front Bottom Middle	410	0.9 x 2.75 x 16.14
15	2	Front Side	70	0.9 x 2.75 x 34.25
16	32	Torx Ø4x35 T20	D = mm	Ø0.16 x 1.38
17	3	Base Part	8 1110	1.5 x 3.5 x 43.7
18	2	Base Part	1350	1.5 x 3.5 x 53.15
19	1	Center Part	1560 ± 1560	1.7 x 6.5 x 61.41
20	88	Wall Section	1560 9 III	1.7 x 3.7 x 61.41
21	2	Floor Drain	•	



Part List (3/6):

ITEM NO.	QTY.	DESCRIPTION	COMPONENT REFERENCE (mm)	REFERENCE (in)
22	1	Back Wall Middle		1.7 x 27.5 x 76.77
23	2	Back Wall Side		1.7 x 25.6 x 75.3
24	1	Back Wall Connector	1860	1.7 x 1.57 x 73.2
25	1	Top Insert	05 05 07 0 1560	1.7 x 3.7 x 61.41
26	2	Vent	(3)	
27	36	Torx Ø5x120 T30		Ø0.2 x 4.73
28	330	Torx Ø4.5x60 T20		Ø0.17 x 2.36
29	30	Torx Ø6x80 T30		Ø0.23 x 3.15
30	1	Top Bench	600 1950	4.7 x 23.62 x 77.17
31	1	Top Side Bench	700	4.7 x 15.75 x 29.72
32	1	Top Bench Support	8 40 795	1.5 x 3.5 x 31.3
33	1	Top Bench Support	3° 790	1.5 x 3.5 x 31.1
34	1	Top Bench Support	90 780	1.5 x 3.5 x 30.7



Part List (4/6):

ITEM NO.	QTY.	DESCRIPTION	COMPONENT REFERENCE (mm)	REFERENCE (in)
35	2	Back Rest Support	360	1.5 x 3.5 x 14.17
36	1	Heater Protector	350	3.5 x 13.78 x 25.6
37	1	Lower Back Rest	52 1590	2 x 12.3 x 62.6
38	1	Lower Side Back Rest	52 740	2 x 12.3 x 29.13
39	1	Lower Bench	390 1590	4.7 x 15.35 x 62.6
40	1	Lower Bench	360 220	4.7 x 10.23 x 16.54
41	2	Lower Bench Support	40 330	1.5 x 3.5 x 13
42	1	Back Rest Left	975	2.5 x 8.7 x 38.4
43	1	Back Rest Right	975	2.5 x 8.7 x 38.4
44	1	Ceiling Cover	12 1350	0.5 x 3.6 x 53.15
45	2	Ceiling Cover	1350	0.5 x 2.36 x 53.15
46	2	Door Frame Support	1750	1.57 x 1.7 x 68.9
47	2	Door Frame Support	40 795	1.57 x 2.36 x 31.3



Part List (5/6):

ITEM NO.	QTY.	DESCRIPTION	COMPONENT REFERENCE (mm)	REFERENCE (in)
48	1	Floor Mesh	000000	1.2 x 23.6 x 35.4
49	1	Door	650 1150 6	3.66 x 29.5 x 68.9
50	2	Fireplace Holder	40 90	1.5 x 1.7 x 3.5
51	1	Fireplace Holder	650	1.5 x 3.6 x 25.6
52	1	Fireplace Holder	600	1.5 x 3.6 x 23.6
53	2	Door Front Siding	795	0.5 x 3.6 x 31.3
54	1	Door Front Siding	12 795	0.5 x 2.36 x 31.3
55	2	Door Front Siding Vertical	S 1710	0.5 x 3.6 x 67.32
56	25	Torx Ø5x90 T30	<u> </u>	Ø0.2 x 3.5
57	2	Steel Band	50 7m	2 x 275
58	2	Long Screw	250	Ø0.47x9.84
59	4	M12 Nut		
60	4	M12 Dome Nut	D	



Part List (6/6):

ITEM NO.	QTY.	DESCRIPTION	COMPONENT REFERENCE (mm)	REFERENCE (in)
61	2	Angled Roof Spacer	10 1560	0.39 x 1.77 x 61.42
62	1	Roofing Felt	1500	W59
63	55	Roof Shingle	1000	13.19 x 39.37
64	192	Roofing Nail Ø4x22	₩	Ø0.16 x 0.86
65	2	Top Shingle	1000	9.84 x 39.37
66	45	Roofing Screw Ø4.8x35	[] =====	Ø0.19 x 1.38
67	4	Top Cover Siding	12 637	0.5 x 3.6 x 25
68	2	Bottom Siding	1085 6	0.5 x 3.6 x 42.72
69	4	Siding	12 969	0.5 x 3.6 x 38.15
70	16	Corner Siding	12 351	0.5 x 3.6 x 13.8
71	18	Torx Ø3x20 T10	<u> </u>	Ø0.1 x 0.8



Front Wall

Important: before starting work on the walls prepare an even and flat surface!

Panels removed from packing box can be used for a flat surface.

Assemble with cutout notch for windows to face up

Part numbers refer to part list

5

2

9

4

Lay all the parts on a flat surface


3


Add silicone sealant around the cutout perimeter before inserting window



Front Wall

Important: use caution while working with glass. Do not screw or drill the glass, for it will shatter.






Leave the wall to rest for an hour, for the silicone to solidify.

Next parts of the assembly can be worked on during that time.



Back wall

Important: before starting work on the back wall prepare an even and flat surface! Important: 3 or more people recomended for this part. Panels are heavy!



Note: pre-drill holes only for the length of the screw pre-drilling is to prevent cracking of thermal wood.




Base


Important: before starting work on the base prepare an even and flat surface!

Diagonal measurements should be equal! 18 **Equal** 17 Level -Pre-drill before inserting the screws T30⁻ Ø4mm Drill Bit Ø0.157 in.



Base









Floor

Important: pre-drill every screw








Base with walls


Important: 3 or more people recomended for this part. Panels are heavy!





Base with walls


Important: coat the edges with silicone before fixing wall sections.




Recommended wall height before inserting benches



Important: 3 or more people recomended for this part. Benches are heavy!





\Fix each leg with 2 screws top and 2 screws bottom (Ø4.5x60); Pre-drill with Ø4mm drill bit






Important: 3 or more people recomended for this part. Benches are heavy! Important: pre-drill every screw








Important: connect backrest from back side so no screws are visible on the front









Important: 3 or more people recomended for this part. Benches are heavy!






leg bench has contact with






Important: pre-drill every screw




Connect the bench to the previous one and existing legs first then add and adjust the leg





Doorway

Important: pre-drill every screw






Door

Important: pre-drill every screw

Important: use caution while working with glass. Do not screw or drill the glass,









Fireplace Holder

Important: pre-drill every screw









Walls

Important: pre-drill every screw








Roof Planks


Important: pre-drill every screw






Back Rest

Important: pre-drill every screw





Ø4mm Drill Bit Ø0.157 in.





Steel Band









Roof Spacer

Important: pre-drill every screw






Roof Felt






Shingles


Important: pre-drill every screw








Shingles





It is recommended to contact a licensed electrician to connect power to the furnace and LED of the sauna.